Pen type Thermometers



The 130/131 contact thermometers offer fast response and laboratory accuracy. These thermometers offer 0.1°C/0.1°F resolution over the entire measurement ranges. A rugged holster protects both models.

- Easy to use: Remove the protective sheath, press the ON/OFF button and insert into the testing area.
- LCD screen shows readings in Fahrenheit or Celsius
- Range: -40° to +250° C/ -40° to +482° F
- 132 is pen type humidity & temperature meter



Features			
	130	131/133	132
User Selectable °C or °F	*	*	*
Resolution 0.1°C/0.1°F	*	*	*
Sampling time 2.0 seconds	*	*	*
LCD display	*	*	*
Max / Min Hold and Data Hold		*	*
Auto Power Off	*	*	*
Humidity & Temperature measurement			*

Specifications			
Function	Range	Basic Accuracy	
Temperature	-40°C~250°C/	±1.5%	
	-40°F~482°F		
Humidity	10%RH~95%RH	±3.5%	

Size(HxWxD): 130:150mm x 40mm x 28mm 131/132/133:211mm x 32mm x 19mm

Weight: 130:19g 131/132/133:35g



CE

EN: 61326



Accessories:

One LR44(1.5V) button battery and clamshell.

DT-135 Thermometer

135 thermometer works with type K thermocouple probe, which has countdown timer and alarm indication.

- Selectable °C or °F
- Data Hold
- Auto power off
- Overrange and clock time indication
- Selectable the time of countdown time
- Setup the time of clock

Specification	ıs
Range	-200°C to 600°C(-328°F to 1112°F)
Response time	less than 1 second
Resolution	$0.1^{\circ}\text{C} \ge -100^{\circ}\text{C}(1000^{\circ}\text{F} \ge 0.1^{\circ}\text{F} \ge -100^{\circ}\text{F})$
	$1^{\circ}\text{C} < -100^{\circ}\text{C}(1^{\circ}\text{F} > 1000^{\circ}\text{F}, < -100^{\circ}\text{F})$
Basic Accuracy	Above -100°C(-148°F) ±0.15%±1°C/±1.8°F
	Below -100°C(-148°F) ±0.5%±2°C/±3.6°F

Size(HxWxD): 188mm x 64.5mm x 24.5mm Accessories:

Weight: 160g Temperature probe, gift box with carrying case.



Model 133

Model 131