

Digital Tachometer DT2236B



Specification	
Display	5 digits, 18mm (0.7") LCD (Liquid Crystal Display), with function annunciation.
Measuring Range	Photo Tach: 2.5 to 99,999RPM Contact Tach: 0.5 to 19,999RPM Surface Speed: 0.05 to 1,999.9 (m/min).
Resolution	Photo Tach: 0.1RPM (2.5 to 999.9RPM) 1RPM (over 1000RPM) Contact Tach: 0.1RPM (0.5 to 999.9RPM) 1RPM (over 1000RPM) Surface Speed: 0.01 m/min. (0.05 to 99.99 m/min); 0.1 m/min (over 100 m/min)
Accuracy	±(0.05%+1digit).
Sampling Time	0.8 sec. (over 6RPM)
Test Range Select	Automatic.
Memory	Max. value, Min value, Last value.
Detecting Distance	50 to 500 mm/2 to 20 inch (Photo)
Time Base	Quartz crystal.
Circuit	Exclusive one-chip of microcomputer LSI circuit.
Battery	3×1.5V AAA (UM-4)
Power Consumption	Approx. mA (operation).
Operation Temp	0 to 50°C (32 to 122°F)
Size	220×76×30mm
Weight	200g (including battery)